



Title	ソフトスイッチングを適用した高力率整流回路に関する研究
Author(s)	太田, 裕之
Citation	(2005-09-14)
Issue Date	2005-09-14
URL	http://hdl.handle.net/10069/7328
Right	

This document is downloaded at: 2020-10-24T06:52:05Z

参 考 文 献

- [1] 電気事業連合会調べ
- [2] 高調波対策専門委員会編：電力系統における高調波とその対策，電気協同研究第46巻第2号，(社)電気協同研究会，平成2年6月
- [3] 高圧受電設備高調波対策専門委員会編：高圧受電設備における高調波問題の現状と対策，電気協同研究第54巻第2号，(社)電気協同研究会，平成10年11月
- [4] IEC 555-2,INTERNATIONAL STANDARD May 1982
- [5] IEC 1000-3-2,INTERNATIONAL STANDARD May 1995
- [6] IEC61000-3-2,"Electromagnetic compatibility (EMC) Part3 : Limits-Limits for Harmonic Current Emissions(Equipment Input Current \leq 16A per Phase)" INTERNATIONAL STANDARD,Oct.2001
- [7] EN61000-3-2,"Electromagnetic compatibility (EMC) Part3 : Limits-Limits for Harmonic Current Emissions(Equipment Input Current \leq 16A per Phase)" INTERNATIONAL STANDARD,Dec.2000
- [8] 通産省公報，“家電・汎用品高調波抑制ガイドライン”，Sep.1994
- [9] 経済産業省資源エネルギー庁，“家電・汎用品高調波抑制ガイドライン”，Dec.2000
- [10] G.Spiazzi, P.Mattavelli and L.Rossetto ; “POWER FACTOR PREREGULATORS WITH IMPROVED DYNAMIC RESPONSE” IEEE PESC'97 Proc.pp789-795
- [11] S.Busso, P.Mattavelli, L.Rossetto and G.Spiazzi ; “Simple Digital Control Improving Dynamic Performance of Power Factor Preregulators” IEEE PESC'97 Proc.pp1043-1049
- [12] Mohamed Orabi and Tamotsu Ninomiya ; “Stability Investigation of the Cascade Two-Stage PFC Converter” IEEE INTELEC'03 Proc.pp565-572
- [13] R.Ridley ; “Average small-signal analysis of boost power factor correction circuit,” *VEPC*, 1989, pp. 108-120.

- [14] F. A. Huliehel, et. al, "Small-signal modeling of the single-phase boost high power factor correction techniques," *VPEC*, 1992, pp. 93-100.
- [15] Sharifipour, B. ;Huang, J.S. ;Liao, P. ;Huber, L. ;Jovanovic, M.M. ; "Manufacturing and cost analysis of power-factor-correction circuits". IEEE Applied Power Electronics Conf. (APEC), pp.490-4 vol.1, 1998.
- [16] Jindong Zhang; Jovanovic, M.M.; Lee, F.C. ; "Comparison between CCM single-stage and two-stage boost PFC converters". APEC '99, pp.335-341.
- [17] Martin H. L. Chow, Yim-Shu Lee ; "Single-Stage Single-Switch Isolated PFC Regulator with Unity Power Factor, Fast Transient Response and Low-Voltage Stress" IEEE TRANSACTIONS ON POWER ELECTRONICS, VOL. 15, NO. 1, pp156-163, JAN. 2000
- [18] Masashi Ochiai: Toshiba, and Hirofumi Matsuo ; "A Novel ZVT AC/DC Converter with High Power Factor" IEEE INTELEC'03 Proc.pp110-116
- [19] Yan Liu and Gerry Moschopoulos : "A Single-Stage AC-DC Forward Converter with Input Power Factor Correction and Reduced DC Bus Voltage" IEEE INTELEC'03 Proc.pp132-139
- [20] Kheraluwala, M.H.; Steigerwald, R.L.; Gurumoorthy, R. ; "A fast response high power factor converter with a single power stage." PESC '91 Record.
- [21] Takahashi, I.; Igarashi, R.Y. "A switching power supply of 99% power factor by the dither rectifier". Thirteenth International Telecommunications Energy Conference INTELEC 91.
- [22] Garcia, O.; Cobos, J.A.; Alou, P.; Prieto, R.; Uceda, J.; Ollero, S. ; "A new family of single stage AC/DC power factor correction converters with fast output voltage regulation." PEPSC97, pp.536-542 vol.1.
- [23] Garcia, O.; Cobos, J.A.; Alou, P.; Prieto, R.; Uceda, J.; Ollero, S. " A high efficient low output voltage(3.3v) single-stage AC/DC power factor

- correction converter", APEC'98, pp.201-207.
- [24] Garcia, O.; Cobos, J.A.; Alou, P.; Prieto, R.; Uceda, J.; Ollero, S. " A new approach for single stage AC/DC power factor correction converters with an improved energy processing", PESC'98, pp1061-1067.
- [25] Rodriguez, E.; Garcia, O.; Cobos, J.A.; Arau, J.; Uceda, J. ; "A singlestage rectifier with PFC and fast regulation of the output voltage." PESC 98, pp1642-1648.
- [26] Zheren Lai; Smedley, K.M. "A single-stage power-factor-corrected AC-DC converter with fast output regulation and improved current shaping." Official Proceedings of the Twelfth International HFPC Power Conversion, 1997. pp.51-62.
- [27] Kornetzky, P.; Huai Hei; Batarseh, I. "A novel one-stage power factor correction converter". APEC '97. pp.251-258 vol.1.
- [28] Jiang, Y and Lee, F.C, "Single-stage single-phase parallel power factor correction scheme" PESC'94, pp.1145-1151 vol.2.
- [29] Madigan, M.; Erickson, R.; Ismail, E. "Integrated high quality rectifier-regulators". PESC '92, pp.1043-1051.
- [30] Schenk, K.; Cuk, S. "A single-switch single-stage active power factor corrector with high quality input and output." PEPSC97 Record.
- [31] Brkovic, M.; Cuk, S. : "Automatic Current Shaper with Fast Output Regulation and SoftSwitching" INTELEC'93.
- [32] M. M. Jovanovic, D. M. Tsang, and F. C. Lee, "Reduction of voltage stress in integrated high-quality rectifier-regulators by variable frequency control", IEEE APEC, 1994, pp. 569-575.
- [33] Redl, R.; Balogh, L.; Sokal, N.O. "A new family of single-stage isolated power-factor correctors with fast regulation of the output voltage". PESC '94. pp.1137-1144.
- [34] Lee, Y.S.; Siu, K.W. ; "Single-switch fast-response switching regulators with unity power factor." APEC '96.
- [35] Chow, M.H.L.; Lee, Y.S.; Tse, C.K. ; "Single-stage single-switch

- isolated PFC regulator with unity power factor, fast transient response and low voltage stress". PESC 98, pp.1422-1428.
- [36] Chow, M.H.L.; Siu, K.W.; Tse, C.K.; Yim-Shu Lee ; "A novel method for elimination of line-current harmonics in single-stage PFC switching regulators." IEEE Transactions on Power Electronics, vol.13, (no.1), IEEE, Jan. 1998. pp.75-83.
- [37] R. Redl and L. Balogh ; " Design considerations for single-stage isolated power-factor-corrected power supplies with fast regulation of the output voltage.". IEEE Applied Power Electronics Conf. (APEC), pp.454-458, 1995.
- [38] Mei Qiu; Moschopoulos, G.; Pinheiro, H.; Jain, P. ; "Analysis and design of a single stage power factor corrected full-bridge converter.". APEC '99, pp.119-125 vol.1.
- [39] Rodriguez, E.; Canales, F.; Najera, P.; Arau, J. ; "A novel isolated high quality rectifier with fast dynamic output response." PEPSC97, pp.550-555 vol.1.
- [40] Fu-Sheng Tsai; Markowski, P.; Whitcomb, E. ; "Off-line flyback converter with input harmonic current correction." INTELEC'96, pp.120-124.
- [41] Jinrong Qian; Qun Zhao; Lee, F.C. ; "Single-stage single-switch power-factor-correction AC/DC converters with DC-bus voltage feedback for universal line applications." IEEE Transactions on Power Electronics, vol.13, (no.6), IEEE, Nov. 1998. pp.1079-1088.
- [42] Qun Zhao; Lee, F.C.; Fu-Sheng Tsai. ; "Design optimization of an off-line input harmonic current corrected flyback converter". APEC '99. pp.91-97
- [43] Watanabe, H.; Kobayashi, Y.; Sekine, Y.; Morikawa, M.; Ishii, T. ; "The suppressing harmonic currents, MS (magnetic-switch) power supply." International Telecommunications Energy Conference (INTELEC), 1995, pp.783-790.

- [44] Daniele, M.; Jain, P.; Joos, G. ; “A single stage power factor corrected AC/DC converter.” INTELEC’96. pp.256-262
- [45] H. Ota, S. Igarashi, Y. Nishikawa and T. Nozawa: “Soft-switching type multiple-chip power device”, PESC’00, pp.92-97, June 2000.
- [46] H. ota, Y. minoya, M. Terasawa, K. kuwabara, S. igarashi, Y. Nishikawa and T. Nozawa: “Soft-switching type multiple-chip power device(M-Power)”, Proc. ISPSD2001, pp.373-376, June 2001.
- [47] 太田裕之, 宇藤靖浩, 黒川不二雄, 松尾博文:“4 巻線方式ソフトスイッチング AC-DC コンバータの等価回路モデル”, 平 1 4 九州連大, No.1057, pp.569 (2002).
- [48] G.Hua and F.C.Lee: “Soft-Switching Techniques in PWM Converters” IEEE Trans. Ind. Electr., Vol.42,No.6,pp.595-603,1995.
- [49] 太田裕之, 松尾博文, 宇藤靖浩, 黒川不二雄:“4 巻線方式ソフトスイッチング AC-DC コンバータの入力フィルタの影響を考慮した等価回路モデル”, 信学論, (B), Vol.J86-B,No.8, pp.1647-1651, Aug. 2003.
- [50] H. Ota, H. Matsuo, F. Kurokawa and Y.Uto: “Soft-switching AC-DC converter with Four-winding-Reactor”, INTELEC’03, pp.211-215, Oct. 2003.
- [51] 太田裕之, 松尾博文, 黒川不二雄, 宇藤靖浩:“4 巻線方式ソフトスイッチング AC-DC コンバータの入力フィルタの影響を考慮した回路のモデル化”, 信学技報, Vol.102,No.567,EE2002-62,pp.67-71, Jan. 2003.
- [52] 太田裕之, 上新原崇, 松尾攻, 松尾博文:“4 巻線方式ソフトスイッチング AC-DC コンバータの入力高調波電流抑制回路の動作モード解析”, 信学技報, Vol.104,No.219,EE2004-25,pp.37-44, July. 2004.
- [53] 太田裕之, 松尾博文:“4 巻線方式ソフトスイッチング AC-DC コンバータの入力高調波電流抑制回路の解析”, 信学論, (B), Vol.J87-B,No.10, pp.1807-1814, Oct. 2004.
- [54] Hiroyuki. Ota, Hirofumi. Matsuo ; “Design Criterion of the

Soft-Switching AC-DC Rectifier Using a Four-Winding-Reactor” Proc. of IEICE Society conference Symposium (Invited oral presentation.Sept.2004 (CD)

- [55] 太田裕之, 松尾博文:“4巻線方式ソフトスイッチング AC-DC コンバータの入力高調波電流特性の解析と設計指針”, 信学論, (B), Vol.J88-B,No.3, pp.672-681, March. 2005.
- [56] 松尾博文, 涂黎山, 黒川不二夫, 渡辺晴夫, “磁気結合を利用した高効率ソフトスイッチング昇降圧形 AC-DC コンバータの解析,” 信学論 (B), vol.J83-B,no.7,pp.1-7,July 2000.

謝 辞

本研究の実施にあたり、終始ご指導を戴いた長崎大学大学院生産科学研究科システム科学専攻の教授である松尾博文先生に心から感謝の意を表します。

本研究をまとめるに際して有益なご助言、ご教示を戴きました大学院生産科学研究科システム科学専攻の教授である松尾寿夫先生及び辻峰男先生にも誠に感謝致します。

また、工学部電気電子工学科の助教授である黒川不二夫先生及び生産科学研究科システム科学科の助手である石塚洋一先生には、研究の全般にわたり広くご指導戴いたことを深く感謝致します。